

Call to Order... Pledge of Allegiance... Roll Call... Welcome Guests***Local Board of Health...***

- 1 - Septic variance request – Letts / tax map #55.10-1-5 / 18 N. Sand Beach Way
 2 - Septic variance request – Iannacchino / tax map #38.16-1-3 / 1050 Palisades Rd

Regular Meeting...

Approval of Minutes: Dec. 21 and Dec. 30, 2021 and Jan. 4, 2022

Reports: Supervisor, Town Clerk, Zoning, Assessor, Justice, Landfill, Buildings/Food Pantry, Library, Historian

Approval of Vouchers and Abstracts:

General Abstract	1	\$ 39,327.48
Highway Abstract	1	\$ 40,907.90
SF (Fire District)	1	\$ 239,039.00
SP (SLPD)	1	\$ 5,578.00

Correspondence to the Board:

- | | |
|----------------------------|--|
| - NYS Unified Court System | RE: Request for copy of audit of Court records for 2021 |
| - AOT | RE: Virtual 2022 Training School and Annual Meeting Feb 20-23 ,2022 |
| - Cindy Mead | RE: Request for research on bubblers |
| - Gates Cemetery Monuments | RE: Notice of increase in the price of corner markers for the cemeteries |
| -Sandy Carpenter | RE: Request to regulate bubblers on the lakes |

Proposed Resolutions:

- To Acknowledge Completion of Audit of the Town Clerk Records
- To Appoint Board of Ethics Chairperson
- To Appoint Registrar and Deputy Registrar
- To Authorize Solicitation of Sand Bids
- To Appoint Delegate to Cast Vote at the AOT Meeting
- To Adopt Investment Policy for Town
- To Appoint Horicon Representative to the North Warren EMS Board
- To Authorize Repair and Painting in the hallways in the Community Center
- To Authorize Amendment to Cemetery Regulations
- To Authorize Supervisor to Sign Agreement with Adirondack Park Local Gov't Review Board

Committee Reports:***Old Business:***

- Update on Potential EMS Tax District
- Planning Board Alternate

New Business:

Generators – estimate for additional repairs

Assessment Reval Update...***Privilege of the Floor... (2-minute time limit)******Adjourn***

**** PROPOSED RESOLUTIONS ****

RESOLUTION TO ACKNOWLEDGE COMPLETION OF AUDIT OF THE TOWN CLERK RECORDS

RESOLVED, that the Town Board of the Town of Horicon does hereby state that the examination of the 2021 Town Clerk records was completed at the meeting of the Board on January 20, 2022 and the records were approved by all members of the Board.

RESOLUTION TO APPOINT BOARD OF ETHICS CHAIRPERSON

RESOLVED, that the Town Board of the Town of Horicon does hereby appoint David Iasevoli as Chairperson of the Town of Horicon Board of Ethics for a term expiring on December 31, 2022.

RESOLUTION TO APPOINT REGISTRAR AND DEPUTY REGISTRAR

RESOLVED, that the Town Board does hereby re-appoint Krista Wood as Registrar, and further authorizes her to appoint Rebecca Ross as her Deputy Registrar for a term that will expire December 31, 2025.

RESOLUTION AUTHORIZING SOLICITATION OF SAND BIDS

RESOLVED, that the Town Board of the Town of Horicon does hereby authorize the Town Clerk to solicit, by legal advertisement, bids for processed highway sand. Bids are to be opened at the regular Town Board meeting on February 17, 2022.

RESOLUTION TO APPOINT DELEGATE TO CAST VOTE AT AOT MEETING

RESOLVED, that the Town Board of the Town of Horicon does hereby appoint Mike Geraci to cast the vote for the Town of Horicon at the Annual Business Session of the Association of Towns Meeting which will be held virtually February 23, 2022. Councilperson Pete Palmer will be the alternate.

RESOLUTION TO ADOPT INVESTMENT POLICY FOR TOWN

WHEREAS, the Town of Horicon adopted an Investment Policy in January 1988, AND

WHEREAS, this policy is reviewed and adopted each year, NOW, THEREFORE BE IT

RESOLVED, that the Town Board of the Town of Horicon, hereby adopts the Investment Policy enacted in Resolution 21 of 1988. Banks used by the Town of Horicon are named in Resolution 3 at every Organization Meeting.

RESOLUTION TO APPOINT ROB SMITH AS HORICON REP TO NWEMS

RESOLVED, that the Town Board of the Town of Horicon does hereby remove Michael Geraci as Horicon representative to the North Warren EMS Board of Directors and does hereby appoint Rob Smith to take over as Horicon representative to the NWEMS Board of Directors to complete that term which will expire December 31, 2022.

RESOLUTION TO AUTHORIZE REPAIRS AND PAINTING

RESOLVED, that the Town Board of the Town of Horicon does hereby authorize repairs and painting of the side hallways in the Community Center by Andy Frasier at a cost not to exceed \$1,400.00.

RESOLUTION TO AMEND CEMETERY REGULATIONS

RESOLVED, that the Town Board of the Town of Horicon, due to a price increase from the vendor, does hereby amend the Cemetery Regulations to increase the cost of one set of corner markers from \$195.00 per set to \$235.00 per set effective immediately.

RESOLUTION TO AUTHORIZE SUPERVISOR TO SIGN AGREEMENT WITH ADIRONDACK PARK LOCAL GOVERNMENT REVIEW BOARD

RESOLVED, that the Town Board of the Town of Horicon does hereby authorize the Supervisor to sign the Agreement with the Adirondack Park Local Government Review Board and further authorizes payment to the Adirondack Park Local Government Review Board in the amount of \$300.00 in support of the work of the Review Board in representing the interests of local governments in the Adirondacks.

Proposed Septic System Narrative

18 North Sand Beach Way

The proposed home is located on Lot 17 of the subdivision known as the Sand Beach Mountain Association, which was granted NYS Department of Health Realty Subdivision Approval on April 4, 1961 - copy attached. The existing lot is 0.27 acres (11,761.2 s.f.) in size and is comparable in size and dimensions to the other lots in this subdivision.

The home will consist of three bedrooms, therefore a design flow of 330 gallons per day (110 gallons per day per bedroom) was used to design the system. This flow is the design standard for homes with post-1994 fixtures, according to Appendix 75-A. The small nature of the existing lot and the location of the neighboring drinking well to the south on Lot 16 causes recommended minimum separation distances between the Lot 16 well and absorption area to not be met. Under the regulations, 100 feet is to be provided. In this application, 70 feet is being provided. All other setbacks are met as to Lot 16 and all setbacks are met as to Lot 18. The other waiver requests relate to the slope across the absorption field and the setbacks to the proposed well on the Applicant's Lot. To mitigate non-compliance with the recommended minimum separation distances, the proposed septic system incorporates treatment practices which provide greater treatment capabilities than those seen in conventional septic system designs, along with design features to provide additional mechanisms to prevent impacts.

In place of a septic tank, a Norweco Singulair Green Bio-Kinetic Treatment (Norweco) system is proposed. The Norweco System has a capacity of 600 gallons per day and produces a much cleaner effluent compared to a traditional septic tank by utilizing an enhanced treatment process including pre-treatment, aeration, clarification, filtration, and flow equalization. The system is certified to NSF-40 for Residential Wastewater Treatment Systems. A brochure and technical specification for the Norweco System is attached to this narrative.

After pretreatment occurs in the Norweco System, the wastewater will be pumped to the absorption practice in equal doses. In place of a conventional absorption trench system with perforated piping and gravel (stone), an absorption field constructed with Eljen B-43 gravelless geotextile sand filters (Eljen) is proposed. The Eljen system creates a primary and secondary treatment zone for incoming wastewater. These zones are fully described in the attached Eljen System Overview. By using the pump station to dose the Eljen field, equal distribution across the length of the Eljen system is achieved. The Eljen system is certified to NSF-40 for Residential Wastewater Treatment Systems and to NSF-245 Class 1 for Wastewater Treatment Systems for Nitrogen Reduction.

In addition to the described treatment processes, a stormwater control swale is proposed across the uphill side of the house. This feature consists of an impermeable geo-textile layer upon which a layer of gravel and a layer of soil are added. The swale contains a

January 13, 2022

Town of Horicon, Local Board of Health
P.O. Box 90
Brant Lake NY 12815

Re: 1050 Palisades Road, Tax Map ID: 38.16-1-30
Septic Variance Request

Dear Board Members:

This office represents applicant Louis Iannacchino who is under contract to purchase the 2.8-acre parcel located at 1050 Palisades Road. Mr. Iannacchino proposes to remove the existing residence and re-build a new 3-bedroom residence on the property. The septic system serving the existing 3-bedroom residence has failed an inspection and requires replacement.


The property is constrained by Brant Lake (south), a large APA jurisdictional wetland and backwater of Brant Lake (west), Palisades Road (north) and neighboring water supply wells (east) such that there is not sufficient usable area on the property to install a fully compliant wastewater system.

It is proposed to install an NSF-40 rated Enhanced Treatment Unit (Norweco or FujiClean) to provide enhanced pre-treatment prior to discharge to an absorption bed. Relief is requested to install the absorption field 75 feet from the APA wetland and 90 feet from the water supply well on the subject site. A jurisdictional inquiry has been submitted to the APA and we await their determination.

Enclosed please find seven sets of plans describing proposed wastewater system and the requested relief. We respectfully request to be placed on the upcoming agenda for your consideration.

Please contact me if you have any questions or if you require additional information.

Best Regards,



G. Thomas Hutchins, P.E.

Cc: Lou Iannacchino

Town Clerk

From: Bonnie Becker <bbecker@nytowns.org>
Sent: Monday, January 10, 2022 3:58 PM
Subject: 2022 Annual Meeting changed from in-person to virtual
Attachments: 2022 Annual Meeting Registration Forms - Virtual.pdf

Good afternoon,

I'm writing to let you know about some important developments regarding our 2022 Annual Meeting & Training School. Given the current surge in COVID-19 infection and hospitalization rates due to the omicron variant, the Association of Towns' executive leadership and staff have made the difficult but necessary decision to switch from an in-person event to an all-virtual event. Some important notes about what this means for you.

- Same dates – Our event will still be held Feb. 20 – 23, 2022.
- More programming – We have expanded our Zoom capabilities and will be able to offer 25 percent more classes at this year's event.
- Affordable Rates - Registration rates will remain the same for last year's virtual event - \$100.
- Special Rates for New Officials - We will offer a Newly Elected Training School Attendee rate of \$50. (To be eligible, you must have registered and attended our 2022 Newly Elected School held last week.)
- Already registered for the in-person event? Sit tight, we have your information and we will give you a call to inquire how you'd like to proceed. If refunds need to be issued, we will issue them.
- All registration will be done online and is open now at www.nytowns.org. (PSSST. Keep note of the email address you use to register with us – that will be your email for the event app!)
- All attendees will have access to an electronic (PDF) program and exhibitor guide.

The Annual Meeting in New York City is a special event. However, we believe holding an event that imperils the health and well-being of our members would tarnish the reputation of our Association and conference, particularly when a suitable alternative exists. Thank you for your continued dedication to public service and local government, and we hope you will join us for our virtual event.

Bonnie Becker
Director of Office Operations
Association of Towns of the State of New York
150 State St
Albany, NY 12207
518-465-7933
518-465-0724 FAX
www.nytowns.org

We are on Facebook: <https://www.facebook.com/nytowns/> and Twitter: <https://twitter.com/nytowns>

January 10, 2022

Re: De-icers on the waters of Brant Lake

Dear Town Board Members and Supervisor Geraci,

I would like to ask the Town to adopt an ordinance providing regulations designed to protect the public health, safety and welfare of the users of Brant Lake and winter navigability of the lake, and to minimize or reduce the dangers from the use of bubblers and/or ice eaters in the lake by lakefront property owners.

25% of Brant Lake's total shoreline is currently open water, including about 50% of the shoreline on Palisades Road. Single bubblers for residential docks are opening up spaces up to 200' out into the lake and 200'- 300' along the shore, infringing on neighboring properties. An area this large is not needed to 'protect' a dock or boathouse. I live in a boathouse, have never run a bubbler in the 40+ years that I have lived there and there is minimal wear and tear on the foundation. There are regulations regarding stairways, beaches and rock walls along the shoreline, and how far out we can put our docks, moorings and swim rafts, but a property owner can open up a swath of water the size of a football field for the entire winter?

The Brant Lake Association has recently sent out a report saying the water quality in our lake has deteriorated in recent years and I wonder how many deer carcasses or other wildlife have drowned in these death traps that no one ever sees? Does the 12 months of sunlight entering our lake through these slaughter holes have any effect on the growth of the milfoil or other invasive aquatics we see taking over our lake? I believe de-icers have contributed a negative impact on the ecology and environment of our lake as frozen ice is necessary for the lake habitat to regenerate during the winter. Is the homeowner liable for these sections of open water? A light freeze when the machines aren't running followed by a dusting of snow can make these areas virtually invisible.

The "Big Camps" and most associations on Brant remove their docks every year because they realize the danger and possible harm to the environment these systems promote. Instead of paying hundreds of dollars for these machines and the electricity it takes to run them, pay a local to take your dock in and out each year, especially if you only have one or two aluminum docks at your personal residence. At the very least, be conscious of the size of open water you are creating on a daily basis, consider the possible consequences of these death traps and imagine what dying under the ice in the frigid waters of an Adirondack Lake must be like.

I have included information on De-icers in general, and Chapter 86 from Sodus Point NY on Lake Ontario for you to use as a blueprint for our local zoning if desired. A simplified summary of their updated regulations that was sent out to all property owners is as follows:

This year the Building Department and the Board of Trustees updated the Docks and Moorings law. With this we also updated the DE-ICER rules. With so many ice fishermen and winter sportsmen enjoying the frozen bay we need to be vigilant in enforcing these new rules to ensure safety. Below I will attach the new rules so everyone knows them. Please be sure to fill out a liability waiver for having a DE-ICER and understand above all else there is no DE-ICER allowed within 300 feet a public access point. Anyone found to be in violation of any portion of this code will be notified and required to remove them. Please understand that we are doing this to protect all residents and visitors alike. Copies of the liability waiver are available at the Village Hall or by request to the Code Enforcement Officer at ceo@soduspoint.info

P. 1 of 2

Updated Chapter 86 Docks and Moorings Law;

§ 86-4. Definitions.

DEICER -Any mechanism that impedes the formation of ice by the movement of air bubbles or chemical applications by which warmer, subsurface water is drawn up and deflected to the surface, creating a circulation of warmer water that prevents ice formation.

§ 86-23. Deicer limitations and configuration.

All residents and businesses intending to use a deicer are required to notify the Code Enforcement Officer of said deicer and shall be subject to any paperwork regarding liability. The following stipulations shall be met when using a deicer. (I would like to see a onetime permit issued for all de-icers just as we have for private docks so the town has a record of them).

A. Deicers shall not be allowed within 300 feet of a public access area.

B. Deicers shall be installed in a manner so as not to create open water more than 20 feet from the structure serviced by the deicer, and no more than 20 feet from neighboring sidelines.

C. Every structure for which a deicer shall be permitted shall be posted in such a manner as to warn persons from the land and water side of the use and operation of such deicer.

- 1. Daytime warnings shall consist of a sign of not less than four feet by four feet which displays lettering in blaze orange in letters not less than six inches in height, which states: "Caution: Open Water."**
- 2. Nighttime warnings shall consist of a flashing amber light of at least six inches in diameter, which can be seen from the water side a minimum distance of 500 feet. Such warning light must operate nightly between dusk and dawn.**
- 3. Such warning lights and signs must be in use and functioning between December 1 and April 1.**
- 4. A violation of this Ordinance would constitute a municipal civil infraction subject to a civil penalty not less than \$100 for the first offense and more for each subsequent offense.**

The Township of Orangeville in Michigan has also included having available (and visible to the public) within 100 feet of each bubbler system all of the following items:

- a. A buoyant life preserving ring with at least 50' of attached rope.
- b. A lightweight ladder at least 10' in length
- c. A 20' long light aluminum or other light metal pole.

As I am going to be out of Town for the January meeting and unfortunately for the March meeting, I ask the Board to look over this material at the January meeting and possibly have Public Hearing (if necessary) in February so I can be in attendance to answer any questions others may have..... I have also included a Petition with over 950 signatures agreeing with the need for such an ordinance and I would like to have the Town of Horicon lead the way in this greatly debated issue as I think other area towns would gladly follow suit.

Sincerely,


Cindy Mead

GATES CEMETERY MONUMENTS, INC.

Clifford R. Gates
5048 State Rte. 9
Chestertown, N.Y. 12817

518-623-2313
518-623-3766 fax
800-630-2480

cliffordgates@nycap.rr.com

Date Jan. 10, 2022

Town Of Horicon
P.O. Box 90
Brant lake, N.Y. 12815

Due to the current state of the economy, materials and shipping cost have recently skyrocketed in the granite industry. As such, it is necessary to increase the cost engraved corner markers for your use. Effective the date of this letter, engraved gray granite corner markers will increase to two hundred thirty-five dollars (\$ 235.00).

In the event things change in regards to the economy, we will keep you informed of any additional price changes.

Respectfully Submitted,



Clifford R. Gates

16 January 2022

To; Supervisor Geraci and Members of the TOH Board,

I am writing to ask you to enact an ordinance that would regulate the use of 'bubblers'/de-icers on our lakes in the Town of Horicon.

These devices create a serious danger to snowmobilers, ice fishers, skaters, cross-country skiers and to anyone who uses the lake during the Winter months.

They weaken the ice in large areas near the shoreline and create a safety hazard to people who wish to access the ice for recreation and to family pets and other animals. They are a menace and have to be regulated.

If people can't remove their docks, there are local people who would take the docks in and out annually and I think the cost of this service would be far less than the cost of these devices and the electricity to operate them.

So, for the safety of our citizens and our pets, and other animals please take the measures necessary to prohibit their use or adopt strong regulations regarding their use. People who use our lakes deserve this protection. Please enact some regulations without any further delay.

Thank you for your attention to this very serious situation.

Sincerely,


Sandra T. Carpenter
Adirondack, NY

P.S. The Province of Ontario (Criminal Code of Canada, Sect. 263 (1)) and several US States have enacted strong laws and criminal charges when these devices cause death or harm to an individual.



Gerald Delaney
Executive Director
326 Downs Road
Cadyville, NY 12918
518-569 7800
gdelaneygrb@gmail.com

Brian E Wells
Chairman
P.O. Box 730
Indian Lake NY 12842
518-648-5885 EXT 3
ilsuper@hotmail.com

Fred Monroe
Communications Director
P.O. Box 579
Chestertown, NY 12817
518 796 2415
fmonroelgrb@gmail.com

December 1, 2021

Dear SYLVIA SMITH, TOWN SUPERVISOR
BRANT LAKE, NY 12815

Enclosed, please find a contract for fiscal year 2022. If you choose to support the Adirondack Park Local Government Review Board, it is appreciated.

The Adirondack Park Agency chose to cut our budget again this year, by \$16,000 as they did last year. I did not receive notice of this cut until the second week of July. Immediately after a debate on the calculations of snowmobile trail miles and Road miles. It certainly appears to be an attempt to silence the voice of Local Government. The APA for lack of a better term is a pass-through Agency. We report our spending to the Agency, they then do the required paperwork, and funds are released to us from the Comptroller. Your continued support is important. Thank you.

The debate around snowmobile milage, is the interpretation of the State Land Master Plan. The APA staff believes they know the exact number of snowmobile miles from 1972 on State Forest Preserve. The APA believes it to be Approximately 750 miles. They have also stated that they have graciously allowed for 15% increase of those miles to 848.88 due to the lands acquired after 1972. The debate stems from a press release from then Governor Nelson Rockefeller that stated the actual milage of snowmobile trails in 1972 to be 950 miles. I believe a press release from a sitting Governor, addressing a issue like the snowmobile miles, to calm that user group, at the time of APA implementation, should have considerable weight. The APA disagrees. They seem to think press releases from Governors have little value. Currently there are about 750 miles of snowmobile trails in the Adirondacks, with the other 98 miles in reserve.

Other areas to watch in the coming year are a quarry near White Lake in Oneida County. This is getting a lot of opposition from the surrounding landowners.

A large subdivision in the Town of Jay, Essex County which is partially in the Hamlet of Ausable Forks, which is in both Essex and Clinton County. This could be another Adirondack Club and resort, as opposition from Environmental groups is already being heard.

A permit to extend the life of a mine in Warren County has also attracted the attention from Environmentalists. The Owner Barton Mines is a valued employer in Towns of 3 Counties. Hamilton, Essex, and Warren.

We are also prioritizing Unit Management Plans that have languished undone. These Units cannot benefit our Communities from tourism if there are no uses adopted. These Planless Units break the promise made with every purchase for the Forest Preserve. The Land will be a benefit to Communities, by increased tourism traffic to the Units. One of the Units without a Plan adopted was purchased in 1979. It is time for the State of NY to be the Steward they promised they would be.

Please feel free to reach out to us. We have the statutory requirement to be the Voice of Local Government. We need to know when there are issues in your Town or County, and what your government position is.

Sincerely,

Gerald Delaney, Executive Director



Sales and Service

Payment terms are 30 days from invoice date unless otherwise agreed upon in writing. Remit to:
Cummins Sales and Service
P.O. Box 419404
Boston, MA 02241-9404

ALBANY NY BRANCH
101 RAILROAD AVENUE
ALBANY, NY 12205-
(518)459-1710

INVOICE NO

ESTIMATE

TO PAY ONLINE LOGON TO
customerpayment.cummins.com

BILL TO

TOWN OF HORICON
ACCOUNTS PAYABLE
PO BOX 90
BRANT LAKE, NY 12815-0090

OWNER

TOWN OF HORICON
20 TOWNSHED ROAD
BRANT LAKE, NY 12815-
MATT SIMPSON - 518 494-3647

PAGE 1 OF 2

*** CHARGE ***

DATE ,		CUSTOMER ORDER NO.		DATE IN SERVICE		ENGINE MODEL		PUMP NO.		EQUIPMENT MAKE	
13-JAN-2022						35KW DGBB-3380252				ONAN	
CUSTOMER NO.		SHIP VIA		FAIL DATE		ENGINE SERIAL NO.		CPL NO.		EQUIPMENT MODEL	
502114						J990000023				35KW DGBB-3380252	
REF. NO.		SALESPERSON		PARTS DISP.		MILEAGE/HOURS		PUMP CODE		UNIT NO.	
158853*						614 / 614				HWY DEPT	
QUANTITY ORDERED	BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION			PRODUCT CODE	UNIT PRICE		AMOUNT	
OSN/MSN/VIN		J990000023									

COMPLAINT

ESTIMATE #; V9-158853 FROM PMWO: J982274

DURING YOUR PLANNED MAINTENANCE SERVICE, OUR TECHNICIAN
RECOMMENDED THE FOLLOWING ADDITIONAL REPAIRS BE COMPLETED
DURING YOUR NEXT SERVICE IN JULY 2022:

*TECH RECOMMENDS REPLACING THE BATTERY, CABLE GRIPS AND BATTERY
CHARGER DUE TO AGE AND CONDITION.

* YOUR BATTERY HAS AGED OVER 2 YEARS. IT IS RECOMMENDED TO REPLACE
THE BATTERY AT 2 YEAR INTERVALS FOR UNIT START RELIABILITY.

**DUE TO THE SIZE AND WEIGHT OF YOUR BATTERY, TWO TECHS ARE
REQUIRED.**

IF YOU WOULD LIKE THIS REPAIR DONE BEFORE YOUR NEXT PM VISIT, THE
ESTIMATE WILL NEED TO BE ADJUSTED TO ADD TRAVEL TIME AND MILEAGE.

ESTIMATE ASSUMES REPAIR SCHEDULING DURING NORMAL BUSINESS HOURS
MON-FRI. OVERTIME CHARGES WILL NEED TO BE APPLIED FOR AFTERHOURS
REPAIRS, IF REPAIR NEEDS TO BE DONE DURING AFTERHOURS PLEASE
ADVISE.

TO APPROVE THIS ESTIMATE, PLEASE SIGN AND RETURN BY EMAIL TO
BENJAMIN.RANKIN@CUMMINS.COM AND INCLUDE A PO (IF APPLICABLE).
OTHERWISE, PAYMENT WILL BE ARRANGED UPON SCHEDULING.

THANK YOU FOR YOUR CONTINUED BUSINESS AND LOYALTY!

1	0 C4D	P G4D CCA1100 RC325	NABS	158.99	158.99
1	0 D-CORE-D	CORE	CLEAN	45.00	45.00
-1	0 D-CORE-D	CORE	DIRTY	45.00	45.00

Completion date : 29-Jul-2022 11:51AM. Estimate expires : 11-Apr-2022 11:34AM.

Billing Inquiries? Call (877)480-6970 or email CBSNortheast.Receivables@cummins.com

APPENDIX A IS ATTACHED AND INCORPORATED HEREIN. IN APPENDIX A THERE ARE
ADDITIONAL CONTRACT TERMS AND CONDITIONS, INCLUDING LIMITATION ON
WARRANTIES AND LIABILITIES WHICH ARE EXPRESSIVELY INCORPORATED HEREIN AND
WHICH PURCHASER ACKNOWLEDGES HAVE BEEN READ, FULLY UNDERSTOOD AND
ACCEPTED.

AUTHORIZED BY (print name) _____ SIGNATURE _____ DATE _____



Sales and Service

Payment terms are 30 days from invoice date unless otherwise agreed upon in writing. Remit to:
Cummins Sales and Service
P.O. Box 419404
Boston, MA 02241-9404

ALBANY NY BRANCH
101 RAILROAD AVENUE
ALBANY, NY 12205-
(518)459-1710

INVOICE NO

ESTIMATE

TO PAY ONLINE LOGON TO
customerpayment.cummins.com

BILL TO

TOWN OF HORICON
ACCOUNTS PAYABLE
PO BOX 90
BRANT LAKE, NY 12815-0090

OWNER

TOWN OF HORICON
20 TOWNSHED ROAD
BRANT LAKE, NY 12815-
MATT SIMPSON - 518 494-3647

PAGE 2 OF 2

*** CHARGE ***

DATE	CUSTOMER ORDER NO.	DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE
13-JAN-2022			35KW DGBB-3380252		ONAN
CUSTOMER NO.	SHIP VIA	FAIL DATE	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MODEL
502114			J990000023		35KW DGBB-3380252
REF. NO.	SALESPERSON	PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO.
158853			614 / 614		HWY DEPT

QUANTITY ORDERED	BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT
			OSN/MSN/VIN	J990000023			
1		0	A045D925	KIT,ACCESSORIES	ONAN	173.49	173.49
2		0	2DPE4	CORD BULKHEAD FTG	E3-OTHER	3.02	6.04
				PARTS:			338.52
				PARTS COVERAGE CREDIT:			0.00CR
				TOTAL PARTS:		338.52	
				SURCHARGE TOTAL:			0.00
				LABOR:			316.71
				LABOR COVERAGE CREDIT:			0.00CR
				TOTAL LABOR:		316.71	
				TRAVEL:			302.94
				TRAVEL COVERAGE CREDIT:			0.00CR
				TOTAL TRAVEL:		302.94	
				MISC.:			0.00
				MISC. COVERAGE CREDIT:			0.00CR
				TOTAL MISC.:		0.00	
				HAZ WASTE DISPOSAL			0.00
				TAX EXEMPT NUMBERS:			
					LOCAL		0.00

Completion date : 29-Jul-2022 11:51AM. Estimate expires : 11-Apr-2022 11:34AM.

Billing Inquiries? Call (877)480-6970 or email CBSNortheast.Receivables@cummins.com

APPENDIX A IS ATTACHED AND INCORPORATED HEREIN. IN APPENDIX A THERE ARE
ADDITIONAL CONTRACT TERMS AND CONDITIONS, INCLUDING LIMITATION ON
WARRANTIES AND LIABILITIES WHICH ARE EXPRESSIVELY INCORPORATED HEREIN AND
WHICH PURCHASER ACKNOWLEDGES HAVE BEEN READ, FULLY UNDERSTOOD AND
ACCEPTED.

SUB TOTAL: 958.17

TOTAL TAX: 0.00

TOTAL AMOUNT: US \$ 958.17

AUTHORIZED BY (print name) _____ SIGNATURE _____ DATE _____



Sales and Service

Payment terms are 30 days from invoice date unless otherwise agreed upon in writing. Remit to:
Cummins Sales and Service
P.O. Box 419404
Boston, MA 02241-9404

ALBANY NY BRANCH
101,RAILROAD AVENUE
ALBANY, NY 12205-
(518)459-1710

INVOICE NO
ESTIMATE
TO PAY ONLINE LOGON TO customerpayment.cummins.com

BILL TO

TOWN OF HORICON
ACCOUNTS PAYABLE
PO BOX 90
BRANT LAKE, NY 12815-0090

OWNER

TOWN OF HORICON
20 TOWNSHED ROAD
BRANT LAKE, NY 12815-
MATT SIMPSON - 518 494-3647

PAGE 1 OF 2

*** CHARGE ***

DATE	CUSTOMER ORDER NO.	DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE
13-JAN-2022			60KW DGCB-5568970		ONAN
CUSTOMER NO.	SHIP VIA	FAIL DATE	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MODEL
502114			1020415732		60KW DGCB-5568970
REF. NO.	SALESPERSON	PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO.
158860			796.4 / 796.4		TOWN HALL

QUANTITY ORDERED	BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT
------------------	--------------	------------------	-------------	-------------	--------------	------------	--------

OSN/MSN/VIN

1020415732

COMPLAINT

ESTIMATE #: V9-158860 FROM PMWO: J982275

DURING YOUR PLANNED MAINTENANCE SERVICE, OUR TECHNICIAN RECOMMENDED THE FOLLOWING ADDITIONAL REPAIRS BE COMPLETED AS SOON AS POSSIBLE:

*TECH RECOMMENDS REPLACING THE BATTERY DUE TO AGE AND VOLTAGE DROP AT STARTUP. REPLACE FAILED BATTERY CHARGER AND CABLE GRIPS.

YOUR BATTERY HAS AGED OVER 2 YEARS. IT IS RECOMMENDED TO REPLACE THE BATTERY AT 2 YEAR INTERVALS FOR UNIT START RELIABILITY.

DUE TO THE SIZE AND WEIGHT OF YOUR BATTERY, TWO TECHS ARE REQUIRED.

ESTIMATE ASSUMES REPAIR SCHEDULING DURING NORMAL BUSINESS HOURS MON-FRI. OVERTIME CHARGES WILL NEED TO BE APPLIED FOR AFTERHOURS REPAIRS, IF REPAIR NEEDS TO BE DONE DURING AFTERHOURS PLEASE ADVISE.

TO APPROVE THIS ESTIMATE, PLEASE SIGN AND RETURN BY EMAIL TO BENJAMIN.RANKIN@CUMMINS.COM AND INCLUDE A PO (IF APPLICABLE). OTHERWISE, PAYMENT WILL BE ARRANGED UPON SCHEDULING.

THANK YOU FOR YOUR CONTINUED BUSINESS AND LOYALTY!

1	0	A045D925	KIT,ACCESSORIES	ONAN	173.49	173.49
2	0	2DPE4	CORD BULKHEAD FTG	E3-OTHER	3.02	6.04
1	0	C4D	P G4D CCA1100 RC325	NABS	158.99	158.99
1	0	D-CORE-D	CORE	CLEAN	45.00	45.00
-1	0	D-CORE-D	CORE	DIRTY	45.00	45.00

Completion date : 31-Jan-2022 02:56PM. Estimate expires : 15-Apr-2022 03:04PM.

Billing Inquiries? Call (877)480-6970 or email CBSNortheast.Receivables@cummins.com

APPENDIX A IS ATTACHED AND INCORPORATED HEREIN. IN APPENDIX A THERE ARE ADDITIONAL CONTRACT TERMS AND CONDITIONS, INCLUDING LIMITATION ON WARRANTIES AND LIABILITIES WHICH ARE EXPRESSIVELY INCORPORATED HEREIN AND EACH PURCHASER ACKNOWLEDGES HAVE BEEN READ, FULLY UNDERSTOOD AND ACCEPTED.

AUTHORIZED BY (print name)

SIGNATURE

DATE

Sales and Service

Payment terms are 30 days from invoice date unless otherwise agreed upon in writing. Remit to:
Cummins Sales and Service
P.O. Box 419404
Boston, MA 02241-9404

ALBANY NY BRANCH
101 RAILROAD AVENUE
ALBANY, NY 12205-
518)459-1710

INVOICE NO

ESTIMATE

TO PAY ONLINE LOGON TO
customerpayment.cummins.com

TO
TOWN OF HORICON
ACCOUNTS PAYABLE
PO BOX 90
BRANT LAKE, NY 12815-0090

OWNER

TOWN OF HORICON
20 TOWNSHED ROAD
BRANT LAKE, NY 12815-
MATT SIMPSON - 518 494-3647

PAGE 2 OF 2

*** CHARGE ***

TE	CUSTOMER ORDER NO.	DATE IN SERVICE	ENGINE MODEL	PUMP NO.	EQUIPMENT MAKE		
1-2022			60KW DGCB-5568970		ONAN		
MER NO.	SHIP VIA	FAIL DATE	ENGINE SERIAL NO.	CPL NO.	EQUIPMENT MODEL		
4			1020415732		60KW DGCB-5568970		
NO.	SALESPERSON	PARTS DISP.	MILEAGE/HOURS	PUMP CODE	UNIT NO.		
0			796.4 / 796.4		TOWN HALL		
QTY	BACK ORDERED	QUANTITY SHIPPED	PART NUMBER	DESCRIPTION	PRODUCT CODE	UNIT PRICE	AMOUNT
1	0		1020415732				

PARTS:	338.52
PARTS COVERAGE CREDIT:	0.00CR
TOTAL PARTS:	338.52
SURCHARGE TOTAL:	0.00
LABOR:	316.71
LABOR COVERAGE CREDIT:	0.00CR
TOTAL LABOR:	316.71
TRAVEL:	344.25
TRAVEL COVERAGE CREDIT:	0.00CR
TOTAL TRAVEL:	344.25
MISC.:	412.50
MISC. COVERAGE CREDIT:	0.00CR
TOTAL MISC.:	412.50
HAZ WASTE DISPOSAL	0.00
ROAD MILEAGE	412.50
LOCAL	0.00

EMPT NUMBERS:

on date : 31-Jan-2022 02:56PM. Estimate expires : 15-Apr-2022 03:04PM.

quiries? Call (877)480-6970 or email CBSNortheast.Receivables@cummins.com

X A IS ATTACHED AND INCORPORATED HEREIN. IN APPENDIX A THERE ARE
IAL CONTRACT TERMS AND CONDITIONS, INCLUDING LIMITATION ON
TIES AND LIABILITIES WHICH ARE EXPRESSIVELY INCORPORATED HEREIN AND
RCHASER ACKNOWLEDGES HAVE BEEN READ, FULLY UNDERSTOOD AND
ID.

SUB TOTAL: 1,411.98
TOTAL TAX: 0.00

TOTAL AMOUNT: US \$ 1,411.98

ED BY (print name)

SIGNATURE

DATE